

WEATHERPROOF ENCLOSURE

HA Series - (AISI316L/SS304/Mild Steel)



Features

- HA Series enclosures is Suitable for all Indoor/outdoor application.
- Maximum numbers of terminals vary according to terminals section and current, enclosure size, operating temperature and required temperature class.
- Suitable for installation in ON/OFF-SHORE plants, in the presence of chemical agents and in any other highly corrosive environment.
- Full customization from 100x100x50mm to 910x1140x500mm: our technical department will support you in designing the best solution according to your needs and within the limits of the certificate.
- Full range of off-the-shelf solution to ensure the best lead time on the market at competitive pricing.

Technical Features

Material

IP rating

Gaskets

Surface treatment

Standard certificate label

Entries

Included accessories

Color

AISI316L/SS304 stainless steel / Mild Steel- with thickness 1,5 mm

IP66

Made by self adhesive UV and corrosion resistant polyester

Electro-polishing treatment


Screws and accessories in stainless steel AISI 316L/SS304

From M20x1.5mm to M80x1.5mm


Gland plate (For Bigger Sizes only)

Optional


Dimension HA




FRONT VIEW C/W COVER



FRONT VIEW W/O COVER



RIGHT SIDE VIEW




BOTTOM VIEW


HA Series – AISI 316 L/SS304 stainless steel/ Mild Steel

TYPE	DIMENSIONS [mm]					CABLE ENTRIES W/O FLANGES		CABLE ENTRIES W. FLANGES		MAX N° TERMINALS [mm ²]		WEIGHT [kg]
	A	B	C	D	E	SIDE A	SIDE B	SIDE A	SIDE B	2,5	4	
HA-151510***	150	150	100	180	-	6	6	-	-	20	20	3
HA-202012	200	200	120	-	-	6	6	-	-	20	20	3


Dimension HA



FRONT VIEW C/W COVER



FRONT VIEW W/O COVER



RIGHT SIDE VIEW




BOTTOM VIEW


HA Series – AISI 316 L/SS304 stainless steel/Mild Steel

TYPE	DIMENSIONS [mm]					CABLE ENTRIES W/O FLANGES		CABLE ENTRIES W. FLANGES		MAX N° TERMINALS [mm ²]		WEIGHT [kg]
	A	B	C	D	E	SIDE A	SIDE B	SIDE A	SIDE B	2,5	4	
HA-202016	200	200	160	230	160	14	14	8	8	20	20	6
HA-202716	200	270	160	230	230	14	18	8	10	36	30	7
HA-273516	270	350	160	300	310	17	24	10	14	102	43	11
HA-282816	280	280	160	310	240	20	20	12	12	76	64	10
HA-353520	350	350	200	380	310	31	31	21	21	102	43	15
HA-383820	380	380	200	410	340	34	34	24	24	110	96	16
HA-384520	380	450	200	410	410	34	42	24	30	140	120	20
HA-484820	480	480	205	-	-	30	45	18	28	228	192	16,4


Dimension HA




FRONT VIEW C/W COVER



FRONT VIEW W/O COVER



RIGHT SIDE VIEW



BOTTOM VIEW

HA Series – AISI 316 L/SS304 stainless steel/Mild Steel

TYPE	DIMENSIONS [mm]					CABLE ENTRIES W/O FLANGES		CABLE ENTRIES W. FLANGES		MAX N° TERMINALS [mm ²]		WEIGHT [kg]
	A	B	C	D	E	SIDE A	SIDE B	SIDE A	SIDE B	2,5	4	
HA-505020	500	500	200	530	460	46	46	33	33	240	201	24
HA-575730	570	570	300	600	530	116	116	95	95	372	312	21,4
HA-806030	800	600	300	-	-	98	125	74	94	990	834	32,9

ORDERING INFORMATION

HA-NNNNNNNN-XXX-CCCC

SIZE: NNNNNNNN – Based on above table (For Customized give the size)

MATERIAL: XXX – 316 (SS316L), 304 (SS304), MM (Mild Steel)

COLOR: CCCC – RAL Number (If no Color required, Leave it blank)



Hepda Pte Ltd, 2024 Due to continuous improvement, all product specifications are subject to change without further notice.